

#### Nestor Angulo de Ugarte

## Round 1! FIGHT! – Or how to survive against a malicious hacker

A lot is said about security, fences, plugins ... But what does all this REALLY mean? Let's imagine that you are a "Street Fighter" or a "Mortal Kombat" character from those 80's video games and you have to face your particular fight against a bad guy.





## Or how to survive an attack by a malicious hacker



Nestor Angulo de Ugarte (@pharar)

**#WCCH** 








#### **Nestor Angulo**

- **CISSP** (ISC2.org 2022)
- Web Security Analyst (2015-2023)
  - @GoDaddy WebSecurity
  - @sucuri.net
- New beginning: nestorangulo.pro
- Brand Ambassador: Patchstack
  - patchstack



# What is Information Security





**The Game** 

#### **Your Fort**



It represents your WordPress Site





#### **POSSIBLE OBJECTIVES**

Users

Database

Content

Infrastructure

**Bot Net** 

Reputation

#### The Life bar



It represents the **protection capacity** of your website.

More bar, more **probability** of winning.



### Factors Affecting the Life Bar



- Each defense category that you add sums points, max of 100 pts.
- Not updating your site -> Lowers your bar by 5% / month.
- Additional admin/ disabled plugin -> Lowers by an additional 2% / month.
- 0 pts. means that even a script kiddie can hack your site.



#### **Characters**



#### Hacker:

**Curious person** who loves to go beyond limits or convetionalisms.



#### **Cyberterrorist / Cracker:**


**Computer Hacker,** whom intentions are always aligned to enrich himself in a zero-sum game situation.

The bad guy

- Lise Meitner

   (1878-1968):
   Nuclear fission.
- Alan Turing (1912-1954): Turing machine
- Hedy Lamarr (1914-2000): Wi-Fi
- Leonardo da Vinci (1452-1519)

Hypatia of Alexandria (c. 350-415): Astrolabe



Archimedes (c. 287-212 BC): Water displacement

**Ada Lovelace** (1815-1852): First programmer

Grace Hopper (1906-1992): COBOL

 Michael Faraday (1791-1867):
 Electricity

#### Good guys

- White Hat Hackers
- blue / red / purple team
- Security Analysts
- Technical Support
- Security Plugins



#### Luca

Our good guy hacker





## Hackers "On their own"


- Gray Hat Hackers
- Hacktivists



#### **Anika**

Our freelance hacker.







#### **Bad guys**

- Black Hat Hacker
- Cyberterrorist / Criminals
- Script Kiddies
- Lone wolf
- Organized Teams

#### Cammy

Our Script Kiddie. Life bar: 20-30pts.





#### **Bruce**

Our professional Black Hat Hacker.

Life bar: 50-70pts.





#### The General

Our organized team of black hat hackers. The bad boss. The Boss.

Life bar: 100pts.











### How do you hack a WordPress site?





Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	

Remote site: /public_html/wp-content/plugins/joom	Remote site: /public_html/wp-content/plugins
	Filename ^ Filesize
Filename	<u> </u>
<u> </u>	Login-wall-KiLxb
inc _inc	Login-wall-NUJIF
	advanced-custom-fields
views	all-in-one-wp-security-and-firewall
index8632.php	alltimeusdflowingin
joomjs.php.suspected	contact-form-7
	disable-comments
index.php	google-sitemap-generator
akismet.php	joomjs
class.akismet-widget.php	js_composer
	page-links-to
error_log	really-simple-captcha
readme.txt	sucuri-scanner
wrapper.php	wordfence
	wordpress-seo
class.akismet-admin.php	wp-pagenavi-master
class.akismet.php	hello.php 24313
	index.php 28

### Examples of fake Plugins/Themes

## wp-content/plugins wp-content/themes

#### plugins

- wp-lazyload-{random chars}
- task-controller
- core-stab / core-engine
- wp-zip
- plugins


#### themes


- o seotheme
- classic
- themes




Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	2
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia: 10,000_most_common_passwords haveibeenpwned.com**	Login	

Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia: 10,000_most_common_passwords haveibeenpwned.com**	Login	
XSS	Redirection (JS)	Reputation	









Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	1
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia*: 10,000_most_common_passwords**  **haveibeenpwned.com**	Login	2
XSS	Redirection (JS)	Reputation	
New vulnerabilities	Discover new vulnerabilities	Investigation	

Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia*: 10,000_most_common_passwords**  **haveibeenpwned.com**	Login	Ž.
xss	Redirection (JS)	Reputation	
New vulnerabilities	Discover new vulnerabilities	Investigation	
Man in the Middle	Intervene communications	Communications	





Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia: 10,000_most_common_passwords**  **haveibeenpwned.com**  **Login**  Login**		
xss	Redirection (JS)	Reputation	
New vulnerabilities	Discover new vulnerabilities	Investigation	
Man in the Middle	the Middle Intervene communications Communications		
DoS / DDoS	Disable a service	Communications, resources	






Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.  Reputation, Login		1
Brute Force / Dictionary			
XSS	Redirection (JS)	Reputation	
New vulnerabilities			
Man in the Middle	Intervene communications	Communications	
DoS / DDoS	Disable a service	Communications, resources	
SQL Injection	Database attack	Database	

Attack	Description	Categorie	Level
Phishing / Spam	/ Spam Injection or use of, to capture information. Reputation, Login		
Brute Force / Dictionary	Try username/password combinations, informed or not.  Wikipedia: 10,000_most_common_passwords haveibeenpwned.com		
xss	Redirection (JS)	Reputation	
New vulnerabilities	Discover new vulnerabilities	Investigation	
Man in the Middle	Intervene communications	Communications	
DoS / DDoS Disable a service Communications, resources			
SQL Injection Database attack Database		Database	
Ransomware	Sequestration of data/files	Files	

Attack	Description	Categorie	Level
Cryptomining	Use of third-party infrastructure to mine crypto	Resources	

Attack	Description	Categorie	Level
Cryptomining	Use of third-party infrastructure to mine crypto	Resources	
BotNode	Use of the infected site (zombie) as an attack platform.	Communications, Files	




Attack	Description	Categorie	Level
Cryptomining	Use of third-party infrastructure to mine crypto	Resources	
BotNode	Use of the infected site (zombie) as an attack platform.	Communications, Files	
Cross-site Contamination	From a hacked site or a backup, infect other sites	Files, database	<b>1</b>


Attack	Description	Categorie	Level
Phishing / Spam	Injection or use of, to capture information.	Reputation, Login	
Brute Force / Dictionary	Try username/password combinations, informed or not.  **Wikipedia: 10,000_most_common_passwords**  **haveibeenpwned.com**  **Login**  Login**  Login**  Login**  Login**  Login**  Login**  Login**  Passwords**  Pas		
xss	Redirection (JS)	Reputation	
New vulnerabilities	Discover new vulnerabilities	Investigation	
Man in the Middle	Intervene communications	Communications	
DoS / DDoS	Disable a service	Communications, resources	
SQL Injection	Database attack	Database	
Ransomware	Sequestration of data/files	Files	
Cryptomining	Use of third-party infrastructure to mine crypto	Resources	

## **Top 10 Web Application Security Risks**

There are three new categories, four categories with naming and scoping changes, and some consolidation in the Top 10 for 2021.









Attack	Defense(s)	Category
--------	------------	----------

Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login




Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login






## **Website Application Firewall (WAF)**

Protect and Speed Up Your Website



## Website host



Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation




Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
XSS	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research




Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
XSS	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications



## **SSL**Secure Sockets Layer





Using your computer abroad

Internet

Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources



Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database



Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database
Ransomware	Backups	Files



Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database
Ransomware	Backups	Files
Cryptomining	Logs, users	Resources, Reputation

Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database
Ransomware	Backups	Files
Cryptomining	Logs, users	Resources, Reputation
BotNode	WAF, Logs	Communications, Files

Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
xss	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database
Ransomware	Backups	Files
Cryptomining	Logs, users	Resources, Reputation
BotNode	WAF, Logs	Communications, Files
Cross-Site Contamination	Files integrity scanner	Files

Attack	Defense(s)	Category
Phishing / Spam	Habilidad, Frontend monitor	Reputation, Login
Brute Force / Dictionary	WAF, Limit login plugin	Login
XSS	WAF, Files integrity scanner	Reputation
New vulnerabilities	WAF, maintenance	Research
Man in the Middle	SSL	Communications
DoS / DDoS	WAF	Communications, Resources
SQL Injection	WAF, Logs	Database
Ransomware	Backups	Files
Cryptomining	Logs, users	Resources, Reputation
BotNode	WAF, Logs	Communications, Files
Cross-Site Contamination	Integridad de Files	Files



Туре	Description	Pts
WAF	Web Application Firewall.	40



Туре	Description	Pts
WAF	Web Application Firewall.	40
Monitoring	Logs, scanners and triggers.	10



Туре	Description	Pts
WAF	Web Application Firewall.	40
Monitoring	Logs, scanners and triggers.	10
Backups	Good strategy of backups	10




Туре	Description	Pts
WAF	Web Application Firewall.	40
Monitoring	Logs, scanners and triggers.	10
Backups	Good strategy of backups	10
SSL	Secured transmissions with / from a site	10




Туре	Description	Pts
WAF	Web Application Firewall.	40
Monitoring	Logs, scanners and triggers.	10
Backups	Good strategy of backups	10
SSL	Secured transmissions with / from a site	10
Maintenance / hardening	Updates, obfuscation, reduce attack surface	20



Туре	Description	Pts
WAF	Web Application Firewall.	40
Monitoring	Logs, scanners and triggers.	10
Backups	Good strategy of backups	10
SSL	Secured transmissions with / from a site	10
Maintenance / hardening	Updates, obfuscation, constant minimization of attack surface	20
Expertise	Human expert taking care	10





### Remember!

**V** COST Web down



**COST** Web hacked


#### **Site Owner**

- App
- Data
- Security of the site

#### Hosting provider

- Networks
- Hardware
- SO
- Virtualization
- Security

### **Security Liability**



# WordPress Security

https://es.wordpress.org/ about/security/






### **MY Combo**

- Cloud WAF + CDN
  - Sucuri ( or CloudFlare )
- Security plugins + 2FA
  - WordFence Free (no WAF)
    o iThemes Security
  - Fail2Bano Limit Login AttemptsReloaded
  - CAPTCHA 4WP

- Monitoringvulnerabilities +internal WAF
  - > Patchstack
- Hosting
  - > SSL
  - Support + BackUps
  - Managed plans
- Backups
  - ➤ VaultPress (Jetpack)
    - o BlogVault
    - o UpDraft

# The importance of UPDATING





- Security patches
- Keep in mind: Security patches appears **AFTER** exploits.
- Overwrite your site code with trustworthy code.
- >70% of succeed hacking attempts uses outdated plugins/themes.

### The importance of PASSWORDS & 2FA

Factors of **AUTH**:

- Something you are (fingerprint, facial id,...).
- Something you have (cell phone, yubikey, ...)
- Something you know (password, PIN, ...).















### Any questions?

Des questions?

Fragen?





#### Nestor Angulo de Ugarte

# Round 1! FIGHT! – Or how to survive against a malicious hacker

A lot is said about security, fences, plugins ... But what does all this REALLY mean? Let's imagine that you are a "Street Fighter" or a "Mortal Kombat" character from those 80's video games and you have to face your particular fight against a bad guy.

